Patient information on colonoscopy with Clensia





Patient's name

Date and time of your examination

Your doctor has prescribed you Clensia as bowel preparation for an upcoming examination.

One pack of Clensia contains 4 large and 4 small sachets. The lime flavour of Clensia makes it pleasant to take. Please follow these instructions to ensure your bowel is properly cleansed and the examination can therefore run smoothly.

At least 3 days before the examination, switch your diet to the kinds of low-fibre foods listed below:

- Dry biscuits or rusk (no wholegrain) with butter or margarine.
- Jelly, honey or jam (without pips).
- Lean meat (beef, pork fillet, chicken, veal, rabbit, turkey breast, boiled ham), fish or eggs.
- Rice, pasta (no wholegrain) or couscous with butter or margarine.
- Soup (vegetable broth only).
- Water, coffee (with no milk or cream) or tea with sugar.



Note: No salads, pulses, fruit (except for bananas) or vegetables (except for peeled and boiled carrots)

Doctor's address


If you have any questions about risks and side effects, please read the package leaflet and consult your doctor or pharmacist.

Preparing and taking Clensia



- Dissolve the 2 large sachets and 2 small sachets in 1 l of water.
- Prepare at least ½ I of clear liquid such as water or tea (without milk) for each dose of 1 I Clensia solution.

How to take Clensia



- Drink 250 ml of the Clensia solution every 15 to 20 minutes.
- After every litre of Clensia solution, drink another ½ I of clear liquid.
- You must NOT drink any fluids (including bowel cleansing preparations) for 2 hours before the colonoscopy.



